

TOOLS





TOOL / TIRE






E1201 TIRE CHANGER

- Tire changer stand for motorcycle tire changes.
- Holds your wheels secure during your removal and installation of your wheel.
- Comes with wheel rotating knob to hold wheel during tire changes.
- Wheel holding corn keeps wheel in position.
- Shaft size: 16 mm

Color : Black Material : Steel

Size : W500 x D500 x H320 (mm)

Weight : 4.6 kg





[480] OPTION FOOT KIT for E12xx Tire Changer

E1210 TIRE CHANGER w / BEAD BREAKER

- Tire changer stand comes with bead breaker.
- Easy to break a bead with the long operation bead breaker handle.
- Great to use on mousse tire changes.
- Bead breaker makes room for tire levers between tire bead and wheel rim, easy to stick your tire levers.
- Bead breaker plate can adjust its position to fit most motorcycle tires.
- Usable for wheel size up to 21 inch.
- Shaft size : 16 mm

Color : Black Material : Steel

Size : W500 x D760 x H320 (mm)

Weight : 6.6 kg







E1010 TIRE BEAD BREAKER STD

- Heavy-duty tire bead breaker.
- Long operation handle make bead breaking easy.
- Wide bead breaker plate is designed for breaking wider bead breaking with one operation.
- Rubber plate protects tire and rims from scratches during bead breaking.
- T shape body provides better stability.
- Can be used for tire sizes from 15 to 21 inches.

Color : Black Material : Steel

Size : W620 x D210 x H385 (mm)

Weight : 4 kg



E1020 TIRE BEAD BREAKER COMPACT

- Compact size bead breaker, saves space in the garage and is easy to carry.
- Long operation handle make bead breaking easy.
- Rubber plate protects tire and rims from scratches during bead breaking.
- Can be used for tire sizes up to 18 inches.

Color : Black Material : Steel

Material : Steel Size : W530 x D50 x H210 (mm)

Weight : 3 kg



TOOL / GARAGE

E780x HELMET HANGER

- Wall hanging hook for your garage or van.
- Can be hung on canopy pole with clamp bands and zip ties.
- Not only for hanging helmets, but also other items helps make your garage well organized.
- Made of durable steel.

E7802 HELMET HANGER

Color : Black Type A Material

: W164 x D48.7 x H96.2 (mm) Size Weight : 160 g

HELMET HANGER

Color : Black Type B Material : W183.6 x D48.7 x H124 (mm) Size

Weight : 225 g









- Make your exhaust spring removal easy.
- Body is made of durable stainless steel, and does not rust.
- Rubber coated handle provide better grip for secure operation.
- Available S and L sizes.





P4302 SPRING HOOK S

W100 x T185 (mm) Size

Weight: 84 g



: W125 x T235 (mm) Size

Weight: 115 g

- Pliers for C type snap rings.



P8002

Weight

: Internal 90 degree Style Head style Tip diameter : 90 degree : 1.8 mm Open width Head length : 22 mm : 24 mm L head length : 18 mm Size : 158 mm

: 151 g

Style : External Head style : Straight Tip diameter : 1.8 mm Open width Head length : 30 mm : 44 mm Size : 165 mm : 146 g Weight

P801x GEAR PULLER

- Tool for easily removing rusted and fixed kick arm, clutch arm, shift pedal, etc





P8011 Wide: 70 mm

Corresponding

gear size 20-40 mm Size W67 x D33 x H100 (mm)

Weight : 341 g



P8012 Wide: 100 mm

Corresponding

gear size 20-55 mm

Size : W100 x D35 x H165 (mm) Weight

: 588 g

P34xx SHOCK SPANNER WRENCH

- Preload spanner wrench make easy to adjust your spring preload on your suspension.
- Wrench size available for common preload nuts.
- Available 3 different wrenches.



1303

P3412

Wrench size : 72 mm Thickness : 5 mm Length : 240 mm Weight :192 g

D2/1/

Wrench size : 82 mm Thickness : 5 mm Length : 255 mm Weight : 205 g







P6010 SHOCK PUNCH

- Hammering rod to loosen or tighten suspension preload adjuster.
- Designed for easy to access / hit preload adjuster.

Color : Black Material : Steel Size : L 265 mm Weight : 156 g



TOOL / TIRE Off set wrench design





P370x REAR SPROCKET WRENCH

- Designed to easily loosen and tighten rear sprocket nuts.
- Offset wrench design for easy access to sprocket nuts.
- Chamfering finish on wrench hole side for smooth operation.
- Width 300 mm x Thickness 0.5 mm

Length : 300 mm Weight : 195 - 227 g





Part # Size (mm)

: 140 mm

: 123-124 g

Length Weight

Part # | Size (mm)


12, 13

P3701

P371x REAR SPROCKET WRENCH 3/8 DR

- Sprocket wrench to use 3/8 drive ratchet torque wrench.
- Designed to easily and tighten rear sprocket nuts.
- Offset wrench design for easy access to sprocket nuts.
- Chamfering finish on wrench hole side for smooth operation.
- When using a torque wrench, please correct the change in tightening torque according to the length of the handle by using the following calculation formula.
- As shown in the illustration, please set this product and torque wrench to be in line.

Tt =	$T \times L$	L = Torque wrench effective length
	(L+120)	T = specified torque by manufacturer. Tt = reading of the torque wrench













P3105 FRONT AXLE WRENCH 19 mm

- 19 mm hex tool that is convenient for removal of the front wheel.
- Pushing in the axle shaft enables quick work.

Length : 140 mm Weight : 230 g



Color : Black Material : Steel Length : 300 mm

	Part #	Wrench Size		
Α	P3234	27 mm		
В	P3236	30 mm		
С	P3237	32 mm		



P32xx STEERING STEM WRENCH

- Wrench for steering stem nut.
- Can be used for all off-road and road bikes.
- Precision laser cut for accurate fit on most steering stem nut.
- 6 mm thickness to access stem nut without removing top triple clamp.
- Stem wrench to use with 3/8 drive ratchet wrench available.

- 3	Part #	Length Size	Weight	
D	P3210	80 mm	47 g	
E	P3220	200 mm	143 g	1200
	1			400 100
		100		WY
				118
		1		11/
			~	
		CALL OF		
1		931	P	100
/			TV TO	

P2510 BEARING REMOVER

- Impact bearing remover, great to use when removing motorcycle wheel bearings.
- Hammer will not hurt your hand, because of its offset handle design.
- Offset bearing hammer head for secure bearing hammering.


Color : Black

Material : Steel Size : W120 x T335 (mm) Weight : 217 g











	YZ65	18-20	UN-P3041
	YZ80/85	90-20	UN-P3041
	YZ125	90-03	UN-P3041
	YZ250	90-03	UN-P3041
	YZ250F	90-03	UN-P3041
	YZ400F	98-99	UN-P3041
	YZ426F	00-02	UN-P3041
	YZ450F	03	UN-P3041
	WR250F	01-04	UN-P3041
	WR400F	98-00	UN-P3041
	WR426F	01-02	UN-P3041
	WR450F	03-04	UN-P3041
	WR250R/X	07-17	UN-P3041
s	RM-Z250	04-06	UN-P3043
		16-19	UN-P3042



























M10XP1.0

M12XP1.25

- A tool to pull up the piston rod of the front fork.
- It can also be used as a bleeding rod.

Size : M10XP1.0, M12XP1.25 Length : 350 mm Weight : 91 g







- Special wiring tool for motorcycle use.
- Hook wire on stainless hook and rotate handle for twisting wire.
- Easy wire twisting for grip, drain bolts and others.
- Twister hook is made of stainless steel, durable and does not rust.

Color : Black Material : Steel Size : W 190 mm Weight : 63 g

- Stainless wire for motorcycle safety wire or grip uses.
- Wire thickness : 0.6 mm, Length : 100 m
- Wire packed durable plastic case.

Length : 100 m Wire thickness : 0.6 mm : 220 g Weight











to correspond to various models. We will further expand the lineup of blank spokes in the future!

- Spoke bender makes your desired spoke bends.
- Cross handles on both hands, to easily bend spokes.
- Easy to set spoke on bender. It can be finely adjusted to spoke size and bend angle.
- Length adjuster holds spoke at bending area
- Angle hold adjuster.

Color : Black Material : Steel

Folding : W330 x D60 x H90 (mm) Weight : 1.46 kg





UNIT MOTORCYCLE PRODUCTS











P1122 SPRING COMPRESSOR S

- Spring removal tool for twin shock motorcycles.
- 2 spring hooks hold the springs secure while compressing the springs, making it easy to remove the springs from the shock bodies.
- Weight :473 g

P1124 SPRING COMPRESSOR L

- Spring compressor for mono shock suspensions.
- 2 hooks hold the spring secure, and compress spring by tightening nuts.
- Easily remove spring from suspension body.
- Designed for easy use with vice.
- Weight : 673 g







- Dust seal remover for front fork dust seal.
- Easily remove dust seal without damaging front fork outer tube.

Color : Black Material : Steel Size : L 168 mm Weight : 93 g



UNIT MOTORCYCLE PRODUCTS



P3505 PIPE CLAMP SET

- Front fork inner tube clamp set.
- Hold your front fork tight to remove axle bracket.
- Can be used with inner fork sizes from 46 mm to 49 mm.
- Made of aluminum, to prevent damage to your front fork inner tube.

Color : Silver Material : Aluminum

Size : W80 xH 80 x T80 (mm) Weight : 1.06 kg

*Please hold clamp with vice securely.
*Hold the front fork tight to remove

lower bracket.









TOOL / TIRE

P260x BEAD HOLDER

- Convenient tool to keep the bead pushed down when assembling tires.

optimum for carrying.



P2602 BEAD HOLDER Compact Size

Size : L105 x W25 x H35 (mm) Weight : 95 g



Size : L210 x W28 x H35 (mm) Weight : 186 g

كتثث











- Dust seal remover for front fork dust seal.
- Easily remove dust seal without damaging front fork outer tube.

Color : Black Material : Steel Size : L 168 mm Weight : 93 g



UNIT MOTORCYCLE PRODUCTS



P3505 PIPE CLAMP SET

- Front fork inner tube clamp set.
- Hold your front fork tight to remove axle bracket.
- Can be used with inner fork sizes from 46 mm to 49 mm.
- Made of aluminum, to prevent damage to your front fork inner tube.

Color : Silver Material : Aluminum

Size : W80 xH 80 x T80 (mm) Weight : 1.06 kg

*Please hold clamp with vice securely.
*Hold the front fork tight to remove

lower bracket.









TOOL / TIRE





E1201 TIRE CHANGER

- Tire changer stand for motorcycle tire changes.
- Holds your wheels secure during your removal and installation of
- Comes with wheel rotating knob to hold wheel during tire changes.
- Wheel holding corn keeps wheel in position.
- Shaft size: 16 mm

Color Material : Black : Steel

W500 x D500 x H320 (mm)

Weight : 4.6 kg





OPTION FOOT KIT OF E12xx TIRE CHANGER

E1210 TIRE CHANGER w / BEAD BREAKER

- Tire changer stand comes with bead breaker.
- Easy to break a bead with the long operation bead breaker handle.
- Great to use on mousse tire changes.
- Bead breaker makes room for tire levers between tire bead and wheel rim, easy to stick your tire levers.
- Bead breaker plate can adjust its position to fit most motorcycle tires.
- Usable for wheel size up to 21 inch.
- Shaft size : 16 mm

: Black Color

Material : Steel Size : W500 x D760 x H320 (mm)

Weight : 6.6 kg







E1010 Tire bead breaker Std

- Heavy-duty tire bead breaker.
- Long operation handle make bead breaking easy.
- Wide bead breaker plate is designed for breaking wider bead breaking with one operation.
- Rubber plate protects tire and rims from scratches during bead breaking.
- T shape body provides better stability.
- Can be used for tire sizes from 15 to 21 inches.

Color : Black Material : Steel Size : W620

W620 x D210 x H385 (mm)

Weight : 4 kg





1<mark>020</mark> TIRE BEAD BREAKER COMPACT

- Compact size bead breaker, saves space in the garage and is easy to carry.
- Long operation handle make bead breaking easy.
- Rubber plate protects tire and rims from scratches during bead breaking.
- Can be used for tire sizes up to 18 inches.

Color Material : Black : Steel

: W530 x D50 x H210 (mm) Size

Weight : 3 kg







Tire lever pocket equipment.



Tapered cone is used to minimize rattling. Includes a gauge to check bending of the



rim and disk.







