

PRODUCT CATALOG

PROUDLY MADE IN THE USA SINCE 1966



TABLE OF CONTENTS

About Us	3
Why Spectro Oils? The Best Oil on Planet Earth	4
Choosing Your Oil	5
Pure PAO Technology	6
Batch Blending	7
Metric OEM Cross Reference	8-9
Engine Oils	
Metric (Spectro 4)	10-11
Scooter	12-13
2-Stroke (2T)	
Marine (Personal Watercraft – PWC)	15
Off-Road Racing (SX)	16-17
Golden Spectro	18
Offroad	19
Snowmobile (SNO, SYN-SNO)	
UTV/ATV/Snowmobile (ATV)	21
Automotive (Motor-Guard / Diesel-Guard)	22-23
Drivetrain Oils	
Suspension Oils	26
Brake Fluids	27
Filter Care	28
Chain Care	29
Greases & Lubes	30
Coolant & Fuel Conditioner	31
Cleaners	32
General Shop Use	33
Promotional Items	34
Distribution	35

/ Quick Reference /



If you see a **Platinum** marking next to a product it is a full synthetic oil; Golden is a synthetic blend oil and **Premium** is a petroleum based oil.



Anywhere you see the Pure PAO **Technology** logo, you can be assured that product is built from the ground up using 100% Group IV base stock oil.



This emblem is used to mark a product that is formulated specifically for 2-stroke engines.



This mark is used to label a product that is formulated specifically for 4-stroke engines.



In our automotive line, this shield signifies the presence of high levels of zinc and phosphorous, which translates to extreme protection.



A product with this stamp is compatible with all off-road vehicles – from UTVs to dirt bikes.

/ Product Lines /



















Motor-Grand Dissel-Grand

/ Packaging /





















Spectro® brand products are manufactured and marketed by Intercontinental Lubricants Corporation (ILC) of Brookfield, Connecticut, one of the world's foremost manufacturers and packagers of premium quality lubricants. ILC has been formulating, packaging and marketing premium lubricants since it was founded by Robert H. Wehman in 1966. The present company leaders, with over 200 years experience among them, all trained under "R.W." From the start, the company has insisted on exceptional product performance and absolute first class ingredients, and we continue to be relentless in this commitment to provide the best products for our customers.

Founder Bob Wehman, having solved fuel:oil mixture problems for Saab North America, turned his expertise to the rapidly growing 2-stroke motorcycle industry of the late 1960s. His formulations revolutionized the performance of these machines, and Spectro's Golden 2 Cycle helped many racers cross the finish line without problems, race after race.

Today's Spectro® products provide a full range of fullsynthetic, synthetic blend and petroleum lubricants for all classes of power-sports engines and transmissions. Spectro® Platinum Full Synthetic oils are, without a doubt, among the finest synthetic lubricants you can run in a motorcycle. All Spectro® Platinum Synthetics are true synthetics, crafted on a batch-by-batch basis using Spectro's Pure PAO Technology. Built from the ground up out of molecules that have been constructed to provide superior strength and endurance, no matter how hard or how long you punish them.

The Spectro® line also includes superior suspension fluids, fork oils, brake fluids, coolant, chain lubes/waxes, filter cleaners and oils, and protection/appearance products.

In addition to the Spectro® line, ILC offers technical assistance, specialty blending and manufacturing services. ILC also provides customized products for motorcycle and automobile engine, transmission, and drivetrain builders and race teams.

Spectro® products are sold exclusively through certified motorcycle and power-sports retailers in the United States and in many international markets. Support of our retailers is the cornerstone of Spectro's® marketing and distribution system.

In many parts of the United States, and in other countries, retailers obtain their Spectro® products through a network of Spectro® Authorized Distributors. Contact information for these distributors can be found on our website at www.spectro-oils.com.

Team /

Alex Josefson / President


Thomas Josefson / Vice President

John Dunne / Private Label Sales, Technology Lead

Luke Calzone / Director of Marketing Joe Russo / National Sales Manager

Eric Christianson / Director of Global Business Development

WHY SPECTRO OILS?





To The Consumer / Spectro Oils of America hereby states that these products meet the specifications set forth in your vehicles manufacturer's warranty and their requirements for engine lubrication. Spectro will stand behind these products and your choice of these products and defend your right to choose. Remember, choosing an alternative to the OEM oil is not only allowed by the manufacturer, it is your right as a consumer.* You must carefully follow the directions for engine break-in and maintenance as explained in your owner's manual. These oils are compatible with all other modern oils and will mix readily unless otherwise specified by the manufacturer.

USE OF THESE PRODUCTS WILL NOT VOID YOUR WARRANTY

* Magnuson-Moss Warranty Improvement Act, Title 15 Commerce and Trade, Chapter 50 Section 15

PURE PAO

Pure PAO Technology

Spectro's **Pure PAO Technology** logo refers to our 100% Pure Group IV Platinum Full Synthetic base stock oil. To learn more please go to page 6.

12345

Batch Blended

Spectro Oils is a company that stands by its quality and never compromises. Every batch has a unique 5 digit code on the back label to ensure the product was blended to meet every standard it was meant to meet with the exact components and ratios of each.



Made in the USA /

Spectro Oils' headquarters is located in Brookfield, CT in the United States. From the base oils and additives to labels, caps and boxes, Spectro sources almost all of their materials for manufacturing from the United States.

#TheOilExperts

The Oil Experts Since 1966

Spectro was founded in 1966 by Bob Wehman. Bob was integral in the beginning of Saab's development of their engine oils. He then decided to start his own business in the growing motorcycle and powersports industries. From day one, Spectro Oils has been a motorcycle and powersports oil manufacturer. Trust the experts in oil, choose Spectro Oils for all your motorcycle and powersports lubricant needs.

Our Ingredients Ensure /

- Smooth Shifting
- Superior Clutch Performance formulated to provide smooth, controlled acceleration combined with positive hookup for efficient power transfer through all gears
- Cleanliness maximum detergent additives
- Corrosion Protection product designed to meet the rigorous requirements for marine use typical of NMMA-FCW approved lubricants
- Shear Protection maximum gear and bearing protection under severe loads

CHOOSING YOUR OIL

/ Choosing the Right Engine Oil /

The following guidelines will help you select the motor oil that is most appropriate for your powersports or big-twin engine.

The first step in choosing a motor oil is to determine the appropriate SAE viscosity. The Society of American Engineers (SAE) has devised a classification system based on viscosity measurements. Viscosity measures the oil's ability to flow. When it's warm outside, an oil will flow more easily than when the outside temperature is cold - all oils thicken when the temperature drops. The proper viscosity grade ensures that the oil is sufficiently light enough to flow to critical engine areas and optimize fuel efficiency, yet sufficiently heavy enough to reduce friction and minimize metal to metal contact in critical areas.

There are two types of SAE classification: single grade and multi grade. A single grade oil such as SAE 30 has certain cold weather limitations. In very cold weather, it may not flow adequately to protect the engine.

A multi grade oil such as 10W-30 can be used across a broad range of temperatures. These oils are widely used because they allow for easy starting and pumping at low temperatures; yet they are viscous enough at high temperatures to lubricate effectively. The "W" stands for "winter" and indicates that the oil meets certain viscosity requirements for low temperature or operation.


Review your owners manual for the recommended grade for your vehicle. The following chart can help determine the SAE viscosity grade for your particular vehicle.

Why a Motorcycle Specific Oil? /

The needs of a motorcycle engine are much different than that of a standard passenger car. Many motorcycles are designed to run at much higher RPMs and temperatures. The push for fuel economy in automotive engine applications has resulted in the use of more friction modifiers which help reduce friction in motors but can have adverse effects on a motorcycle's wet clutch system as it can cause the clutch plates to slip. Therefore, choose Spectro Performance Oils to guarantee you are using the best oil designed specifically for your motorcycle.



Viscosity Recommendation in Relationship to Ambient Temperature /



These guidelines are suitable for general use. Check your owner's manual for specific temperature recommendations for your engine.

JASO MA/MA2



Since 1998, the Japanese Automotive Standards Organization (JASO) has measured the quality of 4-stroke motorcycle engine oil.

Oils that are JASO MA/MA2 Certified resist clutch slippage, do not leave ashy deposits and meet JASO anti-corrosion and wear standards.

Spectro Oils products currently meet or exceed these very important standards for performance. Look for the JASO MA2 symbol on our bottles.

Pure Pao Technology

PURE PAO 100% SYNTHETIC

What Is Pure PAO Technology? /





Group IV PAO (polyalphaolefin) /

Spectro's **Pure PAO Technology** logo refers to our 100% Pure Group IV Platinum Full Synthetic. It's crafted from modern Group IV PAO (polyalphaolefin) synthetic base stocks. These PAO molecules are assembled from the ground up to provide superior strength and endurance, no matter how hard or how long you punish them.

Engineered from Scratch /

The Group IV synthetic molecule is engineered from scratch to better resist being sheared in the gears and to fight degrading oxidation due to high temperatures. (The competitive Group III petroleum oils — adjudged "synthetic" in the course of a long, contentious legal proceeding have merely been refined to a higher level than standard petroleum. We would agree they are fine oils, but they are not purpose-built at the molecular level to deliver maximum endurance.)

Maximum Shear Stability /

The advantage of true, 100% synthetics isn't measured in lubrication qualities like "slipperiness", but rather in longevity and "usability". Easier starting at any temperature, less reaction to temperature extremes, greater durability and resistance to breakdown through molecular shearing are hallmarks of longevity and usability.

Longevity & Security /

Spectro Platinum delivers longevity and security, so when you're H_2 offered a "synthetic" at a lower price than Spectro Platinum, chances are, you're getting a inferior product.





/ What is Batch Blending? /

Spectro Oils of America has been blending state-of-the-art high performance lubricants for over 54 years. We are lubrication experts and we have always believed in formulating and crafting products that will outperform the competition and provide enhanced reliability in their intended applications.

This insistence on quality and performance has dictated rigorous methods, often at odds with many of the other brands in the market.

We Batch-Blend to Better Control Quality and Consistency.

For example, Spectro has always insisted on batch-blending all of its products. When our products are batch blended, the base stocks and additives that go into each and every bottle can be more carefully measured and controlled, ensuring performance consistency. If an additive is needed to counter a specific

problem, say power-robbing heat, Spectro ensures having the optimal dose of that additive in each and every bottle shipped to market. With batch-blending, we can do precisely that.

To ensure performance consistency, we clean the production lines between batches so there is no mixing of ingredients from one batch to the next. Most blenders are content with "mixed" product at the beginning and end of a run, which means you don't always get the exact product the label says you're getting.

With Spectro batch blending, both we and our customers can be confident the product is what it says on the label and will perform precisely as specified.

Batch blending is more costly, obviously. But in this age of expensive motorcycles, it is good to know that yours will be properly lubricated.

CROSS REFERENCE

Metric OEM

For technical questions call **203-775-1291** or e-mail **techsupport@spectro-oils.com**

	COMPONENT	ARCTIC CAT® PRODUCT	Page	SPECTRO OILS PRODUCT
	Engine	Arctic Cat eXtreme (ACX) Synthetic 0W-40	29	Spectro Platinum 4 Full Synthetic ATV/Snowmobile 0w40
	Engine	Arctic Cat eXtreme (ACX) Synthetic 15W-50	18	Spectro Platinum 4 Full Synthetic 15w50
	Engine	10W-40 ATV	29	Spectro 4 ATV 10w40
	Engine	C-Tec4 Synthetic 4-Cycle Oil	29	Spectro Platinum 4 Full Synthetic ATV/Snowmobile 0w40
	Engine	C-Tec2 Synthetic 2-Cycle Oil	28	Spectro Platinum Full Synthetic Syn-Sno
	Engine	Arctic Power Valve (APV) Synthetic 2-Cycle	28	Spectro Platinum Full Synthetic Syn-Sno
	Engine	Formula 50 Mineral Injection Oil 2-Cycle	28	Spectro Sno
	Engine	ATV 2-Cycle Injection Oil	22	Spectro 2T
	Transaxle	Arctic Cat Synthetic Transaxle Fluid	32	Spectro Platinum Full Synthetic Differential Gear Lube 75w90 GL-5
	Transmission	ATV 80W-90 HP Gear Lube	33	Spectro Hypoid Gear Lubricant 80w90 GL-5
BMW®	COMPONENT	BMW® PRODUCT		SPECTRO OILS PRODUCT
	Engine	Advantec Ultimate Synthetic 5W-40	18	Spectro Platinum 4 Full Synthetic 5w40
	Engine	Advantec Pro Semi-Synthetic 15W-50	19	Spectro Golden 4 Synthetic Blend 15w50
	Drivetrain	Hypoid Gear Oil 80W-90 GL-5	33	Spectro Hypoid Gear Lubricant 80w90 GL-5
	Drivetrain	SAF-XJ + FM Booster Rear Axle Fluid 75W-140 GL-5	32	Spectro Platinum Full Synthetic Differential Gear Lube 75w140 GL-
	Drivetrain	Final Drive Gear Oil 75W-90 GL-5	32	Spectro Platinum Full Synthetic Differential Gear Lube 75w90 GL-5
CAN-AM®/BRP®	COMPONENT	CAN-AM®/BRP® PRODUCT		SPECTRO OILS PRODUCT
	Engine	XPS 4-Stroke Synthetic All Climate Grade	18	Spectro Platinum 4 Full Synthetic 5w40
	Engine	XPS 4-Stroke Synthetic Blend Summer Grade	29	Spectro Golden Synthetic Blend ATV/Snowmobile 5w40
	Engine	XPS 2-Stroke Full Synthetic	28	Spectro Platinum Full Synthetic Syn-Sno
	Engine	XPS 2-Stroke Mineral	28	Spectro Sno
	Engine	XPS Premix Oil	24	Spectro Platinum Full Synthetic SX2 32:1
	Chaincase	XPS Synthetic Chaincase Oil	32	Spectro Platinum Syn-Sno Full Synthetic Chaincase Oil
	Chaincase	XPS Mineral Chaincase	33	Spectro Hypoid Gear Lubricant 80w90 GL-5
	Drivetrain	XPS Synthetic Gear Oil 75W-140	32	Spectro Platinum Full Synthetic Differential Gear Lube 75w140 GL-
	Drivetrain	XPS Synthetic Gear Oil 75W-90	32	Spectro Platinum Full Synthetic Differential Gear Lube 75w90 GL-5
COBRA MOTO®	COMPONENT	COBRA MOTO® PRODUCT		SPECTRO OILS PRODUCT
	Engine	Spectro Platinum Full Synthetic SX2 32:1	24	Spectro Platinum Full Synthetic SX2 32:1
HONDA®	COMPONENT	HONDA® PRODUCT		SPECTRO OILS PRODUCT
	Engine	HP4M Semi-Synthetic 10W-30 / 10W-40		
	EI IBII IC	The 4th Serial Synthetic low 507 low 40	19	Spectro Golden Synthetic Blend 4 10w30 / 10w40
	Engine	HP410w40 / 20W-50	19 19	Spectro Golden Synthetic Blend 4 10w30 / 10w40 Spectro 4 10w40 / 20w50
	_	•		•
	Engine	HP4 10w40 / 20W-50	19 19	Spectro 4 10w40 / 20w50
	Engine Engine	HP4 10w40 / 20W-50 GN4 10W40 / 20W-50	19 19	Spectro 4 10w40 / 20w50 Spectro 4 10w40 / 20w50
	Engine Engine Engine	HP4 10w40 / 20W-50 GN4 10W40 / 20W-50 HP4 0W-30	19 19	Spectro 4 10w40 / 20w50 Spectro 4 10w40 / 20w50 Spectro Golden 4 Synthetic Blend ATV/Snowmobile 0w30 Spectro Platinum Full Synthetic SX2 32:1
	Engine Engine Engine Engine	HP4 10w40 / 20W-50 GN4 10W40 / 20W-50 HP4 0W-30 HP2 Synthetic Racing Oil (32:1)	19 19 29 24	Spectro 4 10w40 / 20w50 Spectro 4 10w40 / 20w50 Spectro Golden 4 Synthetic Blend ATV/Snowmobile 0w30 Spectro Platinum Full Synthetic SX2 32:1
	Engine Engine Engine Engine Engine Engine	HP4 10w40 / 20W-50 GN4 10W40 / 20W-50 HP4 0W-30 HP2 Synthetic Racing Oil (32:1) GN2 Injector/Premix Oil (20:1)	19 19 29 24 22 33	Spectro 4 10w40 / 20w50 Spectro 4 10w40 / 20w50 Spectro Golden 4 Synthetic Blend ATV/Snowmobile 0w30 Spectro Platinum Full Synthetic SX2 32:1 Spectro 2T
HUSQVARNA®	Engine Engine Engine Engine Engine Transmission	HP4 10w40 / 20W-50 GN4 10W40 / 20W-50 HP4 0W-30 HP2 Synthetic Racing Oil (32:1) GN2 Injector/Premix Oil (20:1) HP Transmission Oil SAE 80W / 85W	19 19 29 24 22 33	Spectro 4 10w40 / 20w50 Spectro 4 10w40 / 20w50 Spectro Golden 4 Synthetic Blend ATV/Snowmobile 0w30 Spectro Platinum Full Synthetic SX2 32:1 Spectro 2T Spectro Golden Gear Lube 80W / 85W
HUSQVARNA®	Engine Engine Engine Engine Engine Transmission Drivetrain	HP4 10w40 / 20W-50 GN4 10W40 / 20W-50 HP4 0W-30 HP2 Synthetic Racing Oil (32:1) GN2 Injector/Premix Oil (20:1) HP Transmission Oil SAE 80W / 85W Shaft Drive Oil	19 19 29 24 22 33	Spectro 4 10w40 / 20w50 Spectro 4 10w40 / 20w50 Spectro Golden 4 Synthetic Blend ATV/Snowmobile 0w30 Spectro Platinum Full Synthetic SX2 32:1 Spectro 2T Spectro Golden Gear Lube 80W / 85W Spectro Hypoid Gear Lubricant 80w90 GL-5
HUSQVARNA®	Engine Engine Engine Engine Engine Transmission Drivetrain COMPONENT	HP4 10w40 / 20W-50 GN4 10W40 / 20W-50 HP4 0W-30 HP2 Synthetic Racing Oil (32:1) GN2 Injector/Premix Oil (20:1) HP Transmission Oil SAE 80W / 85W Shaft Drive Oil HUSQYARNA® PRODUCT	19 19 29 24 22 33 33	Spectro 4 10w40 / 20w50 Spectro 6 10w40 / 20w50 Spectro Golden 4 Synthetic Blend ATV/Snowmobile 0w30 Spectro Platinum Full Synthetic SX2 32:1 Spectro 2T Spectro Golden Gear Lube 80W / 85W Spectro Hypoid Gear Lubricant 80w90 GL-5 SPECTRO OILS PRODUCT
HUSQVARNA®	Engine Engine Engine Engine Engine Transmission Drivetrain COMPONENT Engine	HP4 10w40 / 20W-50 GN4 10W40 / 20W-50 HP4 0W-30 HP2 Synthetic Racing Oil (32:1) GN2 Injector/Premix Oil (20:1) HP Transmission Oil SAE 80W / 85W Shaft Drive Oil HUSQVARNA® PRODUCT 4T 10W-40	19 19 29 24 22 33 33	Spectro 4 10w40 / 20w50 Spectro 6 10w40 / 20w50 Spectro Golden 4 Synthetic Blend ATV/Snowmobile 0w30 Spectro Platinum Full Synthetic SX2 32:1 Spectro 2T Spectro Golden Gear Lube 80W / 85W Spectro Hypoid Gear Lubricant 80w90 GL-5 SPECTRO OILS PRODUCT Spectro 4 10w40
HUSQVARNA®	Engine Engine Engine Engine Engine Transmission Drivetrain COMPONENT Engine Engine	HP4 10w40 / 20W-50 GN4 10W40 / 20W-50 HP4 0W-30 HP2 Synthetic Racing Oil (32:1) GN2 Injector/Premix Oil (20:1) HP Transmission Oil SAE 80W / 85W Shaft Drive Oil HUSQVARNA® PRODUCT 4T 10W-40 4T 10W-50 Synthetic	19 19 29 24 22 33 33	Spectro 4 10w40 / 20w50 Spectro Golden 4 Synthetic Blend ATV/Snowmobile 0w30 Spectro Platinum Full Synthetic SX2 32:1 Spectro 2T Spectro Golden Gear Lube 80W / 85W Spectro Hypoid Gear Lubricant 80w90 GL-5 SPECTRO OILS PRODUCT Spectro 4 10w40 Spectro Platinum 4 Full Synthetic 10w50 Spectro Platinum Full Synthetic 2T
HUSQVARNA®	Engine Engine Engine Engine Engine Transmission Drivetrain COMPONENT Engine Engine Engine	HP4 10w40 / 20W-50 GN4 10W40 / 20W-50 HP4 0W-30 HP2 Synthetic Racing Oil (32:1) GN2 Injector/Premix Oil (20:1) HP Transmission Oil SAE 80W / 85W Shaft Drive Oil HUSQVARNA® PRODUCT 4T 10W-40 4T 10W-50 Synthetic 2T Synthetic	19 19 29 24 22 33 33 19 18 20 33	Spectro 4 10w40 / 20w50 Spectro Golden 4 Synthetic Blend ATV/Snowmobile 0w30 Spectro Platinum Full Synthetic SX2 32:1 Spectro 2T Spectro Golden Gear Lube 80W / 85W Spectro Hypoid Gear Lubricant 80w90 GL-5 SPECTRO OILS PRODUCT Spectro 4 10w40 Spectro Platinum 4 Full Synthetic 10w50 Spectro Platinum Full Synthetic 2T
HUSQVARNA®	Engine Engine Engine Engine Engine Transmission Drivetrain COMPONENT Engine Engine Engine Engine Transmission	HP4 10w40 / 20W-50 GN4 10W40 / 20W-50 HP4 0W-30 HP2 Synthetic Racing Oil (32:1) GN2 Injector/Premix Oil (20:1) HP Transmission Oil SAE 80W / 85W Shaft Drive Oil HUSQVARNA® PRODUCT 4T 10W-40 4T 10W-50 Synthetic 2T Synthetic 10W-40	19 19 29 24 22 33 33 19 18 20 33	Spectro 4 10w40 / 20w50 Spectro 6 10w40 / 20w50 Spectro Golden 4 Synthetic Blend ATV/Snowmobile 0w30 Spectro Platinum Full Synthetic SX2 32:1 Spectro 2T Spectro Golden Gear Lube 80W / 85W Spectro Hypoid Gear Lubricant 80w90 GL-5 SPECTRO OILS PRODUCT Spectro 4 10w40 Spectro Platinum 4 Full Synthetic 10w50 Spectro Platinum Full Synthetic 2T Spectro SX Clutch Saver 10w30

CROSS REFERENCE

Metric OEM

KAWASAKI®	COMPONENT	KAWASAKI® PRODUCT	Page	SPECTRO OILS PRODUCT
	Engine	Kawasaki Performance 2-Stroke Racing Oil	24	Spectro Golden Synthetic Blend SX2 32:1
	Engine	Kawasaki Performance 4-Stroke 10W-40 / 20W-50	19	Spectro 4 10w40 / 20w50
	Engine	Kawasaki Performance 4-Stroke Semi-Syn ATV/UTV 5W-40	29	Spectro Golden 4 Synthetic Blend ATV/Snowmobile 5w40
	Engine	Kawasaki Performance 4-Stroke ATV/UTV 10W-40	29	Spectro Golden 4 Synthetic Blend ATV/Snowmobile 10w40
	Engine	Kawasaki Performance 4-Stroke Semi-Syn Oil 10W-40	19	Spectro Golden 4 Synthetic Blend 10w40
	Engine	Kawasaki Performance 4-Stroke Full Synthetic Oil 10W-40	18	Spectro Platinum 4 Full Synthetic 10w40
	Engine	Kawasaki Jet Ski® Watercraft 2-Stroke High-Performance Oil	23	Spectro Full Synthetic PWC Marine Extreme
	Transmission	Kawasaki Gear Oil	33	Spectro Hypoid Gear Lubricant 80w90 GL-5
	Transmission	Kawasaki Gear & Wet Brake Oil	33	Spectro ATV Wet Brake & Gear Oil
KTM®	COMPONENT	KTM® PRODUCT		SPECTRO OILS PRODUCT
	Engine	Cross Power 2T	24	Spectro Platinum Full Synthetic SX2 32:1
	Engine	Power Synt 4T 10W-50 / 10W-60	18	Spectro Platinum 4 Full Synthetic 10w50 / 10w60
	Engine	Cross Power 4T 10W-50 / 10W-60	18	Spectro Platinum 4 Full Synthetic 10w50 / 10w60
	Engine	Formula 4T 15W-50	19	Spectro Golden 4 Synthetic Blend 15w50
	Transmission	ATF Dexron III	33	Spectro Golden Gear Lube 80W
OLARIS®	COMPONENT	POLARIS® PRODUCT (PREVIOUS)		SPECTRO OILS PRODUCT
	Engine	PS-4 5W-50 (PS-4 Plus)	18	Spectro Platinum 4 Full Synthetic 5w50
	Engine	PS-4 Extreme Duty 10W-50	18	Spectro Platinum 4 Full Synthetic 10w50
	Engine	Youth ATV 4-Cycle	18	Spectro Platinum 4 Full Synthetic 10w50
	Engine	Premium Blue	28	Spectro Golden Synthetic Blend Sno
	Engine	VES (VES Gold Plus)	28	Spectro Platinum Full Synthetic Syn-Sno
	Engine	VES Race (Racing Synthetic 2-Cycle)	28	Spectro Platinum Full Synthetic Syn-Sno
	Engine	Summer Diesel 15W-50	31	Spectro Diesel-Guard 15w40
	Drivetrain	AGL (AGL Plus/Sportsman XP)	32	Spectro Platinum Full Synthetic Transmission Gear Lube 75w90 GL-
	Drivetrain	Angle Drive Fluid	32	Spectro Platinum Full Synthetic Differential Gear Lube 75w90 GL-5
	Drivetrain	Demand Drive (Demand Drive Plus)	33	Spectro ATV Wet Brake & Gear Oil
UZUKI®	COMPONENT	SUZUKI® ECSTAR® PRODUCT		SPECTRO OILS PRODUCT
	Engine	Ecstar R9000 Full Synthetic 10W-40	18	Spectro Platinum 4 Full Synthetic 10w40
	Engine	Ecstar R7000 Semi-Synthetic 10W-40	19	Spectro Golden 4 Synthetic Blend 10w40
	Engine	Ecstar R5000 10W-40	19	Spectro 4 10w40
	Drivetrain	Gear & Wet Brake Oil	33	Spectro ATV Wet Brake & Gear Oil
ICTORY®	COMPONENT	VICTORY® PRODUCT		SPECTRO OILS PRODUCT
	Engine	Victory 20W-40 Semi-Synthetic	19	Spectro Golden 4 Synthetic Blend 20w40
AMAHA®	COMPONENT	YAMAHA® PRODUCT		SPECTRO OILS PRODUCT
	Engine	Yamalube® Performance Full-Syn15W-50	18	Spectro Platinum 4 Full Synthetic 15w50
	Engine	Yamalube® Performance Full-Syn 0W-40	29	Spectro Platinum 4 Full Synthetic ATV/Snowmobile 0w40
	Engine	Yamalube® Performance Semi-Syn 0W-30	29	Spectro Golden 4 Synthetic Blend ATV/Snowmobile 0w30
	Engine	Yamalube® Performance Semi-Syn 20W-50	19	Spectro Golden 4 Synthetic Blend 20w50
	Engine	Yamalube® Utility Performance 5W-30	29	Spectro 4 ATV 5w30
	Engine	Yamalube® Performance All Purpose 10W-40 / 20W-50	19	Spectro 4 10w40 / 20w50
	Engine	Yamalube® All Performance 2S	22	Spectro Golden Synthetic Blend 2T
	Lilgine	Tamalabe Air Cromance 25		Specifo doiden synthetic biena 21









PLATINUM 4 FULL SYNTHETIC

This is the ultimate synthetic engine lubricant. Batch blended using Spectro's **Pure PAO Technology**, it dramatically increases throttle response and horsepower. Engines run cooler and transmissions benefit from smoother, quieter shifting. For street or track. Safe for wet clutch applications. Exceeds all known manufacturers' warranty requirements and recommendations, including A.P.I. SJ/JASO MA/MA2.

1 LITER BOTTLE (12/CASE) 4 LITER BOTTLE (4/CASE)		55 GAL	LON DRUM		
5w40	L.SP454	10w40	U.SP414	5w40	Z.SP454
5w50	L.SP455	15w50	U.SP4155	10w40	Z.SP414
10w40	L.SP414			10w50	Z.SP415
10w50	L.SP415			15w50	Z.SP4155
10w60	L.SP416				
15w50	L.SP4155				





GOLDEN 4 SYNTHETIC BLEND

Spectro's proven batch blend of premium quality synthetic and petroleum base oils. Provides smoother shifting and higher shear stability, while prolonging engine and transmission life. Safe for wet clutch applications. Exceeds all known manufacturers' warranty requirements and recommendations, including A.P.I. SL/JASO MA/MA2.

1 LITER BOTTLE (12/CASE)		4 LITER	BOTTLE (4/CASE)	55 GALLON DRUM		
10w30	L.SG413	10w30	U.SG413	10w30	Z.SG413	
10w40	L.SG414	10w40	U.SG414	10w40	Z.SG414	
15w50	L.SG4155	20w50	U.SG425	15w50	Z.SG4155	
20w40	L.SG424			20w40	Z.SG424	
20w50	L.SG425			20w50	Z.SG425	





You Have The Right To Choose... Refer to page 4 to find out more!





SPECTRO 4 PREMIUM PETROLEUM

Combines highest quality base oils and superior motorcycle specific anti-wear additives to provide exceptional lubrication and protection. Shear stable polymers help to reduce thinning in common sump systems. Exceeds all known manufacturers' warranty requirements and recommendations, including A.P.I. SL/JASO MA/MA2.

1 LITER BOTTLE (12/CASE)		4 LITER BOTTLE (4/CASE)		55 GALLON DRUM	
10w30	L.S413	10w30	U.S413	10w30	Z.S413
10w40	L.S414	10w40	U.S414	10w40	Z.S414
20w40	L.S424	20w50	U.S425	20w40	Z.S424
20w50	L.S425			20w50	Z.S425







GOLDEN SCOOTER 2T SYNTHETIC BLEND

A superior two-cycle engine lubricant formulated specifically for use in scooter engines, "Golden-Scooter" should be used in all two-stroke scooters, especially when a JASO FC or ISO-L-EGD oil is specified. Extends component life, keeps piston ring grooves clean and deposit free, and reduces excessive smoking immediately.

1 LITER BOTTLE (12/CASE)

L.SGS



Scooter – 4 Stroke







GOLDEN SCOOTER 4T SYNTHETIC BLEND

Our premium synthetic blend lubricant for scooters. It provides Smoother shifting, maximum shear stability and exceptional endurance for the price. Exceeds all known manufacturers' warranty requirements and recommendations, including A.P.I. SL/JASO MA/MA2.

1 LITER BOTTLE (12/CASE)

5w40 L.SGS454 10w40 L.SGS14



2 Stroke











GOLDEN 2T INJECTOR SYNTHETIC BLEND

This superior two-cycle engine lubricant extends component life, keeps piston ring grooves clean and deposit free, and reduces excessive smoking and emissions. Reduces spark plug deposits to eliminate fouling. Complex synthetics guard against piston scuffing. Exceeds all known manufacturers' warranty requirements and recommendations, including ISO-LEGD, JASO FC.

1 LITER BOTTLE (12/CASE)

L.SG2T









2T PREMIUM PETROLEUM

A premium-quality, economical two-stroke engine lubricant formulated with high density petroleum base stocks and our exclusive additives to provide exceptionally high levels of protection and clean operation at all temperatures. Meets JASO FB and APITC standards. Reduces exhaust port deposits, guards against piston seizure.

1 LITER BOTTLE (12/CASE)

L.2T







Spectro Performance Oils is the Official Oil of Cobra Motorcycles







SX2® 321 GOLDEN SYNTHETIC BLEND

This pre-mix, super-premium two-cycle engine lubricant is formulated specifically for use in modern two-cycle power valve engines. Mix at any OEM recommended fuel-to-oil mixture. Synthetic base stocks replace the high-density bright stock used in most lubricants, thereby reducing smoke and carbon residue. Provides exceptional ring groove and power valve cleanliness. Exceeds all known manufacturers' warranty requirements and recommendations, including JASO FC, ISO-L-EGD and API TC test requirements.

1 PINT BOTTLE (12/CASE)

32:1 O.SGSX321

Off Road Racing - 4 Stroke











SX4® PLATINUM FULL SYNTHETIC

The ultimate full synthetic motor lubricant for all four-stroke motocross and off road machines. Spectro's Pure PAO **Technology** makes SX4 extremely shear-stable and is designed specifically for use in high RPM racing conditions. Cams, rods, culinders and pistons benefit tremendously from our increased ZDDP anti-wear additive treatments. Exceeds all known manufacturers' warranty requirements and recommendations, including A.P.I. SJ/JASO MA/MA2. For use in KTM®, Yamaha®, Honda®, Suzuki® and Kawasaki® four stroke racing engines.

1 QUART BOTTLE (12/CASE)

10w40 R.SPSX414 15w50 R.SPSX4155





Golden Spectro





GOLDEN SPECTRO TWO CYCLE PRE-MIX BLEND

This is the two-cycle engine lubricant that built our reputation and company. Probably the winningest oil out there. Because we significantly reduce excessive solvents (present in most two-cycle blends), running Golden Spectro® Two-Cycle Pre-Mix Blend at leaner ratios provides a higher level of detonation protection, stops plug fouling and smoking. Use according to motorcycle manufacturers' recommendations, or at 50:1; this product exceeds API TC test requirements. Not for use in oil injection systems.

12 OZ. BOTTLE (24/CASE)

N.GSMC

64 OZ. BOTTLE (6/CASE) S.GSMC 16 GALLON DRUM

X.GSMC

1 LITER BOTTLE (12/CASE)

L.GSMC

5 GALLON PAIL

W.GSMC







SAE 15w50.









OFF ROAD SPECTRO 4 PREMIUM PETROLEUM

A super-premium engine lubricant designed for punishing temperatures and high gearbox loads. 4-cycle single cylinder motors benefit from our exclusive ZDDP additives. Exceeds all known manufacturers' warranty requirements and recommendations, including A.P.I. SL/JASO MA/MA2.

1 LITER BOTTLE (12/CASE)

10w40 L.014 20w50 L.025



Snowmobile / UTV / ATV





You Have The Right To Choose...

Refer to page 4 to find out more!







PLATINUM SYN-SNO POWERVALVE FORMULA FULL SYNTHETIC

This low-pour (-42° F) full synthetic lubricant keeps power valves and exhaust systems depositfree. No brand burns cleaner; virtually smokeless. It can also be used as a racing pre-mix oil. Top performance in Rotax® snowmobile engine tests. Exceeds all known manufacturers' warranty requirements and recommendations, including JASO FD, ISO-L-EGD and API TC test requirements.

1 QUART BOTTLE (12/CASE) **R.SYNSNO**

1 GALLON BOTTLE (4/CASE)

16 GALLON DRUM X.SYNSNO

T.SYNSNO

55 GALLON DRUM

Z.SYNSNO







GOLDEN SNO INJECTOR SYNTHETIC BLEND

This synthetic blend formula is engineered to enhance pumpability in all injector systems regardless of temperature. Golden Sno Injector virtually eliminates spark plug fouling, keeps piston ring grooves deposit free, significantly reduces smoking, and protects your engine in off-season storage. May be mixed at the manufacturers' recommended ratio. 50:1 is 13 ounces to 5 gallons. Exceeds all known manufacturers' warranty requirements and recommendations.

1 QUART BOTTLE (12/CASE)

1 GALLON BOTTLE (4/CASE) T.SGSNOI

R.SGSNOI







SNO INJECTOR PREMIUM PETROLEUM

Specially-blended for all two cycle snowmobile injector systems and designed to outperform baseline OEM oils, this petroleum based lubricant offers clean engine operation. Meets/exceeds all known manufacturers' warranty requirements, Spectro Sno Injector minimizes spark plug fouling, significantly reduces smoking. Exceeds all known manufacturers' warranty requirements and recommendations, including APITC.

1 QUART BOTTLE (12/CASE) **R.SSNO**

1 GALLON BOTTLE (4/CASE)

55 GALLON DRUM

T.SSNO

Z.SSNO

Snowmobile / UTV / ATV









ATV/UTV/SNOWMOBILE PLATINUM 4 FULL SYNTHETIC

This full synthetic combines Spectro's Pure PAO Technology and diester base stocks with breakthrough additive technology to provide significant reductions in drag and friction loss, thus extending reliability and engine component life; also delivers enhanced corrosion protection. 0w40 grade offers excellent cold weather starting lubrication and pumpability. Exceeds all known manufacturers' warranty requirements and recommendations, including A.P.I. SJ/JASO MA/MA 2.

1 LITER BOTTLE (12/CASE)

0w40 L.SP4ATV04





ATV/UTV/SNOWMOBILE GOLDEN 4 SYNTHETIC BLEND

A synthetic blend formulation specifically designed for the stresses of high performance ATV/UTV and snowmobile engines. It provides exceptional lubrication and protection, especially in extreme racing and winter conditions. Additives provide enhanced corrosion protection. Exceeds all known manufacturers' warranty requirements and recommendations, including A.P.I. SL/JASO MA/MA2.

1 LITER BOTTLE (12/CASE)

0w30 L.SG4ATV03 5w40 L.SG4ATV54







ATV/UTV/SNOWMOBILE SPECTRO 4 PREMIUM PETROLEUM

Combines the highest quality base oils and superior anti-wear additives to provide exceptional lubrication and protection, especially in winter conditions. Exceeds all known manufacturers' warranty requirements and recommendations, including A.P.I. SL/JASO MA/MA2.

1 LITER BOTTLE (12/CASE)

L.S4ATV53 5w30 10w40 L.S4ATV14 20w50 L.S4ATV25

55 GALLON DRUM

5w30 Z.S4ATV53

21

Automotive

Motor-Guard









PLATINUM FULL SYNTHETIC MOTOR-GUARD

Crafted from our select high-mileage polyalphaolefins by using Spectro's **Pure PAO Technology**, and further enhanced with aggressive treats of zinc and phosphorus (ZDDP). Spectro® Platinum provides low friction resistance, maximizes power, and has a durability unmatched by any other lubricant. API SG/SH/SJ.

1 QUART BOTTLE (12/CASE)

5w40 R.PMG54 **10w50** R.PMG15





GOLDEN SYNTHETIC BLEND MOTOR-GUARD

A high performance engine lubricant that combines our finest grade mineral and synthetic oils to provide the highest quality synthetic blend. This product also provides twice (2X) the amount of superior protection and durability through its high treat levels of 1800 ppm zinc and phosphorus (ZDDP).

1 QUART BOTTLE (12/CASE)

5w30 R.GMG530 5w40 R.GMG540 10w30 R.GMG1030 10w40 R.GMG14 20w50 R.GMG25



lotor-Guard





PREMIUM PETROLEUM MOTOR-GUARD

This ultimate product contains superior anti-wear zinc and phosphorus additive packages for twice (2X) the amount of exceptional levels of protection and durability through its high treat levels of 1800 ppm zinc and phosphorus (ZDDP), especially important in the high stress conditions of racing.

1 QUART BOTTLE (12/CASE)

10w40 R.MG14 20w50 R.MG25 30 R.MG3



Automotive





BREAK-IN OIL

Formulated with a high additive level of both zinc and phosphorus (2200 ppm) to provide maximum valve train wear protection as well as optimal ring sealing during the break in of flat tappet engines. This product is for "break-in" use only.

1 QUART BOTTLE (12/CASE)

Flat Tappet R.MGBIF Roller Cam R.MGBIR







DIESEL GUARD

Diesel Guard is formulated with high quality petroleum base stocks and the most advanced detergent, dispersant, anti-wear, and soot control additive package available. Suitable for use in all diesel and gasoline powered engines. Recommended for use in all off-road and on-road heavy duty diesel or gasoline powered equipment. Full fleet applications. Exceeds all known manufacturers' warranty requirements including A.P.I. CJ-4, and SL.

1 QUART BOTTLE (12/CASE)

15w40 R.DG1540 **5 GALLON PAIL**

15w40 W.DG1540

W.DG30 30

55 GALLON DRUM

15w40 Z.DG1540



DRIVETRAIN OILS





PLATINUM FULL SYNTHETIC TRANSMISSION GEAR LUBRICANT

This is the ultimate gear oil for use in high performance transmissions. This fully synthetic formula has breakthrough additive technology and reduces power loss due to both drag and friction. Provides less wear on components, smoother shifting, reduces drag, friction loss, wear, and extends gear life. GL-1 rated.

1 LITER BOTTLE (12/CASE)

L.75W901

75w90 GL-1 W.75W901

5 GALLON PAIL

75w90 GL-1 75w140 GL-1 L.75W1401





SYNTHETIC DIFFERENTIAL GEAR LUBRICANT

Provides tremendous lubrication protection in extreme heat conditions. It is crafted to dramatically reduce drag at all temperature ranges, provide exceptional oxidation stability, and provide total protection to gears and bearings. It reduces friction loss, wear, and extends gear life. Recommended for applications calling for GL-5 or Hypoid rated lubricants.

1 LITER BOTTLE (12/CASE)

75w90 GL-5 L.75W905

75w140 GL-5 L.75W1405 **5 GALLON PAIL**

75w90 GL-5 W.75W905 75w140 GL-5 W.75W1405 **16 GALLON DRUM**

75w90 GL-5 X.75W905 75w140 GL-5 X.75W1405





SYN-SNO SYNTHETIC CHAINCASE OIL

Designed to give your snowmobile maximum performance and protection, even at temperatures below -50° F., Spectro Syn-Sno Chaincase is the ultimate gear and chaincase lubricant. A full synthetic formulation with premium additive technology provides significant reduction in drag and friction loss and significantly extends gear life. Reduces wear, extends component life, and features a low pour point. Can also be used in Arctic Cat® diamond drive chaincases.

12 OZ. BOTTLE (12/CASE) I.SCL

5 GALLON PAIL

W.SCL





DEN MOTORCYCLE GEAR LUBE

This shear-stable petroleum transmission case lubricant is specially designed to withstand the punishment of second and third gear starts, so you can count on exceptional clutch engagement and temperature stability. Recommended for all modern 2-cycle moto-cross gear/clutch cases where SAE 10w30 or SAE 10w40 SE/SF/SG or 80w lubricants are recommended. Eliminates clutch "drag" and "slipping," and exceeds all known manufacturers' warranty requirements and recommendations. Not to be used for an engine lubricant.

1 LITE	R BOTTLE (12/CASE)	16 GALLON DRUM		
80	L.GSCGL80	80	X.GSCGL80	
85	i gscgi 85	85	X GSCGI 85	



PREMIUM PETROLEUM HYPOID GEAR LUBRICANT

Spectro Hypoid is formulated with the highest density and highest V.I. petroleum base stocks available, then special EP additives are included to reduce pinion gear wear. This fine product is designed for the final drives and transmissions of all shaft drive motorcycles that do not have a wet clutch, including BMW® and MotoGuzzi®. It reduces drag, friction loss, wear, and extends component life. API GL-5 rated.

1 LITER BOTTLE (12/CASE)

80w90 GL-5

5 GALLON PAIL

16 GALLON DRUM

80w90 GL-5

80w90 GL-5





ATV WET BRAKE & GEAR OIL

This formulation provides lubrication of the differential and final drive gears and provides the correct friction and heat transfer characteristics for wet brakes. Superior extreme pressure performance and anti-wear capabilities protect and ensure maximum gear life. Suppresses wet brake noise and chatter while permitting brakes to hold properly and run cool. Our special blend of base stocks helps maintain seal and gasket flexibility, and the balanced formulation provides excellent rust and corrosion protection, high water tolerance, and good oxidation stability for high temperature service.

1 QUART BOTTLE (12/CASE)

5 GALLON PAIL

R.WBG

W.WBG

MINERAL HYDRAULIC **CLUTCH FLUID**

Designed for use in motorcycle hydraulic clutch systems that specify a light (SAE 10) mineral oil-such as the Magura® systems used on KTM® motorcycles. Follow manufacturer's instructions and recommendations for service and use of this product.

4 OZ. BOTTLE (12/CASE) K.HCF



SX CLUTCH SAVER

A super shear stable petroleum lubricant engineered to withstand punishment, especially the beating of 2nd and 3rd gear starts. Special polymers provide exceptional positive clutch engagement and temperature stability, eliminating clutch "drag" and "slipping". Exceeds all known manufacturers' warranty requirements and recommendations, including API SL rated, and SAE 10w30 viscosity specs, ideal for use in all 2 stroke and 4 stroke moto-cross machines.

1 OUART BOTTLE (12/CASE)

10w30 R.SXCLUTCH

SUSPENSION OILS





Golden

GOLDEN SYNTHETIC BLEND CARTRIDGE FORK FLUID

Spectro® Cartridge fluids are formulated specifically for service in modern inverted cartridge style forks. A synthetic blend of the world's leading base stocks, as well as antifoaming and anti-wear additives, "Golden Cartridge Fork" provides zero stiction, conditions seals, and provides smoother operation. Designed for use in Kayaba®, Showa® and Marzocchi® forks.

5w L.GSCF85/150 7.5w L.GSCF125/150

16 GALLON DRUM

5w X.GSCF85/150 **7.5w** X.GSCF125/150

5 GALLON PAIL

5w W.GSCF85/150 **7.5w** W.GSCF125/150

55 GALLON DRUM

5w Z.GSCF85/150 **7.5w** Z.GSCF125/150





GOLDEN SYNTHETIC BLEND SHOCK FLUID

Meets the critical demands of today's suspension systems under any conditions! It virtually eliminates fade and foaming due to thinning and air entrapment. It also outperforms the OEM fluids it is designed to replace.

1 LITER BOTTLE (12/CASE)		5 GALI	ON PAIL	16 GALLON DRUM	
2.5w	L.SFUL	2.5w		2.5w	X.SFUL
75	I CE\/I	75	ALCEVII	75	V CEVII



Promium

FORK OIL

Spectro® fork fluids are designed specifically for both conventional and inverted cartridge forks. Blended high V.I. base oils combined with antifoaming additives and an anti-wear additive system fight fade and wear due to both heat and aeration. "Zero stiction" additive package and antifoaming system for use in Kayaba®, Showa® and Marzocchi® forks.

1 LITER BOTTLE (12/CASE)		5 GALL	ON PAIL	16 GALLON DRUM		
SAE 5	L.FO5	SAE 5	W.FO5	SAE 5	X.FO5	
SAE 10	L.FO10	SAE 10	W.FO10	SAE 10	X.FO10	
SAE 15	L.FO15			SAE 15	X.FO15	
SAF 20	L FO20					







FILTER OIL

This superior technology provides a significant step forward in filter function. Its "High Tac" synthetic formula traps and holds dust, even after hours of vibration exposure. With Spectro Air Filter Oil, dust can't work its way through the filter the way it does with other aerosol products. Use with Filter Cleaner for complete filter maintenance. Fast, easy to use, won't dry out and stays active. Ideal for all OEM and aftermarket air filters. Only to be used on foam and cloth type filters. Super tacky "High Tac" technology traps and holds dust.

10 OZ. NET WEIGHT CAN (12/CASE)

H.FILTER



FILTER CLEANER

The ultimate time saver and an invaluable piece of maintenance equipment, Spectro Filter Cleaner is an emulsifying agent that picks up and slicks away water soluble grease and oil, and leaves the filter squeaky clean. Use in all off-road competition motorcycle air filters, except paper types. For best results, use in combination with Spectro Filter Oil. No fumes, no flame hazards, works its wonders in a bucket of warm water.

12 OZ. NET WEIGHT CAN (12/CASE)

H.FFC

CHAIN CARE





CHAIN WAX

A paraffin-based formulation designed to coat and protect like Cosmoline. Built with anti-wear additives to provide extended chain and sprocket life, Spectro Chain Wax leaves a dry, wax film, attracts no dirt, and protects chains and sprockets from rusting.

10 OZ. NET WEIGHT CAN (12/CASE)

H.CW



SYNTHETIC CHAIN LUBE

Formulated to provide superior lubrication and protection in the most extreme riding conditions, Spectro® Synthetic Chain Lube utilizes the highest quality synthetic base oils in combination with tackiness additives to resist wear and protect the chain long after other lubes have disappeared. Provides smoother, quieter operation and resists water washout. Spectro® Synthetic Chain Lube is a non-drip, foaming, clear formula.

12 OZ. NET WEIGHT CAN (12/CASE)

H.CL

Spectro Factory Motocross team **Precision Offroad Racing** applying Spectro Chain Lube to their race motorcycles before they line up.



GREASES & LUBES



ASSEMBLY LUBRICANT

Recommended for initial scuff and wear protection in re-assembly and repair of two and four cycle engines, as well as cycle transmissions. A heavy weight lubricant fortified with anti-scuff polymers, Spectro Assembly Lubricant can be applied to rings, cam lobes, gears and bearings. It coats and plates them completely, assuring total starting protection. Compatible with all Spectro lubricants and other petroleum-based products, Assembly Lubricant provides anti-rust properties for prolonged storage of engine and transmission parts.

4 OZ. BOTTLE (12/CASE)

K.ASSEMBLY



MISCELLANEOUS



ETHANOL FUEL CONDITIONER

Ethanol Fuel Conditioner will protect any fuel system components from damage by ethanol, which is present in most fuels, it will also inhibit the build up of gums and prevent corrosion in your fuel delivery system. It will extend fuel life and allow for extended, no-maintenance off-season storage. The Ethanol Fuel Conditioner will work with fuel systems in all 2 and 4 stroke vehicles, from yard equipment to classic cars.

8.5 OZ. BOTTLE (12/CASE)

K.EFC





1 QUART BOTTLE (12/CASE)

R.MW

5 GALLON PAIL

W.MW

1 GALLON BOTTLE (4/CASE)

T.MW

55 GALLON DRUM



SPECTRO SHINE

Spectro Shine is a silicone based polish and finish for plastics and trim on your offroad vehicle, motorcycle, automobile, bicycle and beyond. Shine creates a dirt and mud barrier for extended periods for maximum protection. Simply wash your vehicle with Spectro Premium Motorcycle Wash and finish with Spectro Shine for and incredible showroom look every time.

18 FL OZ / 12 OZ. NET WEIGHT CAN (12/CASE)

H.SHINE

GENERAL SHOP USE





OEM BLEND SHOP OIL

Developed for use in every day service departments. Available in 10w40.

55 GALLON DRUM

10w40 Z.OEMB



This powerful aerosol formula will easily clean suspension components. It quickly removes grease and grime, dries fast leaving no residue. Will not cause damage to rubber seals or

13.7 OZ. NET WEIGHT CAN (12/CASE)



101 LUBRICANT

Spectro 101 Lubricant and Rust Penetrant is named for its 101+ uses. Most commonly used as a rust penetrant and multi-purpose lube. It provides light lubrication for cables, levers and water displacement in chains and other mechanisms compromised by moisture. Spectro 101 Penetrates, lubricates and protects parts from corrosion and attracts very little dirt with its non-tacky formula.

12 OZ. NET WEIGHT CAN (12/CASE)

PROMOTIONAL ITEMS

Apparel, Stickers, Banners & More





needed to get one (1) of the performance

!BANNER NOW IN BLACK!

Black 3' x 5' Indoor/Outdoor Vinul Banner

!STICKER18

18" Primary Logo Sticker





!BANNERSTRIN 30' String Pennant



!AUTHO

Spectro Authorized Dealer **Double Sided Shop Sticker**



!SPRAYER Spectro Motorcycle Wash

Sprayer with brass fittings

!CAPBLACK

Spectro Snapback Trucker Cap *One size fits most



!KNITCAP Spectro Beanie

The red circles contain the number of proofs

corresponding items.

!STICKER

6" Primary Logo Sticker



!HOODIE

Gray Spectro Hoodie *Ask for available sizes



!NOTEPAD

Spectro Order



left chest primary logo

pictured

!PINSHIRT

Black T-Shirt with Spectro V-Twin Pin-up Girl Logo *Ask for available sizes



!LGMETALRACK

Powder Coated Metal Rack Holds 16 cases of Spectro Product



!SHIRTVINTAGE

Gray T-Shirt with Spectro Vintage Logo *Ask for available sizes



Notepad (5.5" x 8.5")



!SHIRTPRIMARY NEW!

Coming soon!

For all t-shirts, hoodies and apparel, we carry sizes small through 3XL. If you are looking for a specific size, please call in to check availability. This page is updated regularly to reflect our current promo items.



Worldwide Distributors



NORTHEAST

Spectro Oils of America 203-775-1291

Eastern CT, RI, MA, VT, ME, NH

Mark Hager 603-801-4335 mhager@spectro-oils.com

Western CT, Eastern NY, NJ

Russ Bennett 860-608-5950 rbennett@spectro-oils.com

MIDWEST

Tri-R Distributing 800-747-6457 www.tri-rdistributing.com sales@tri-rdistributing.com

WEST

Spectro West Advantage 800-262-1325 www.spectrowest.com

NATIONAL

Western Power Sports 800-999-3388 www.wps-inc.com

MID-ATLANTIC

Zipper's Performance Products 410-579-2828 www.ZippersPerformance.com

SOUTHEAST

Spectro Oils of Florida 800-458-6452 SpectroFlorida@aol.com

WESTERN NY

Lakeview Distributing 315-730-2091 gtravislakeview@yahoo.com

/ International Distributors /

AUSTRALIA

Rollies Speed Shop Distribution www.rolliesspeedshop.com

Steve Cramer Products

www.stevecramerproducts.com

CANADA

Importations Thibault, Ltée www.importationsthibault.com

COSTA RICA

Cuesta del Agua Chirripo S.A. www.chirripo.cr

DENMARK

Proatv A/S www.proatv.dk

DOMINICAN REPUBLIC

Breclay Investments SRL

GREECE

Perko S.A. www.perko.gr

JAPAN

Dolphin Company Ltd www.dolphin-s.co.jp

NETHERLANDS

Europe (V-Twin) **Zodiac International B.V.** www.zodiac.nl

NEW ZEALAND

Darbi Accessories Ltd www.darbi.co.nz

PUERTO RICO

2 Ruedas Distributors

TAIWAN

Maximumracing Enterprise Co. Ltd. www.ib-lube.com



THE BEST OIL ON PLANET EARTH.

PROUDLY MADE IN USA SINCE 1966.



Steve Cramer Products

www.stevecramerproducts.com

p: 03 9587 1466

e: sales@stevecramerproducts.com.au